

# V-BOX




- ◆ With Baytrail-D/I/M serial CPU
- ◆ J1900\J1800\N2806\N2900
- ◆ Integrated Onboard 2GB/4GB DDR3L Ram
- ◆ Onboard 16/32/64/128G EMMC (Optional)
- ◆ 1\*Cfast Slot
- ◆ Providing 2\*HDMI, 4\*USB
- ◆ Support power-on automatic boot function, jumper selection
- ◆ Single input DC power supply, DC12V
- ◆ size: 166\*106.6\*88.3 mm

## Specification

Model	V-BOX
Size	166*106.6*88.3 mm
Processor	Support Baytrail-I/D/M Processor (J1900 N2900 J1800 N2806)
Chipset	Suppport Baytrail-I/D/M Processor
Memory	Onboard 2GB/4GB DDR3 Ram
Expansion slot	1 DDR3 SODIMM 204 Socket Max expansion to be 8G
Lan	Onboard 4*Intel I211 Gigabit Ethernet
Audio	Onboard HDA ALC662
storage	1*Cfast 1*SATA Onboard EMMC16/32/64/128G Optional
Color	sliver
Panel interface	4*LAN 1*COM 1*DC.
Backpanel interface	1*switch button 2*HDMI 3*USB2.0 1*USB3.0 1*reset button
standard	1*12V 60W Power supply 2*WIFI cables

size



Order information

Model type	description	CPU optional
V-BOX-J1900	Integrated Baytrail-D/I/M J1900 Quad core 2.0Ghz up to2.4Ghz Integrated 2G/4GDDR3, ( max to be 8GDDR3) Integrated32/64/128G EMMC(optional) 6 com default	J1900,N2900(quad core)
V-BOX-N2806	Integrated celeron Baytrail-D/I/M N2806 dual1.6Ghz up to2.0Ghz, Integrated2G/4GDDR3, ( max to be 8GDDR3), Integrated32/64/128G EMMC(optional) 6 com default	J1800,N2806 (dual core)

packing list

1*power supply
1*cd driver

Optional accessories

name	features	
Internal USB cable	Length 32CM, one leads to 2*USB port	cables can be customize d according to customer
Internal COM cable	Length 32CM	
Internal vga cable	Length 36CM, 2.54 pitch pin	
Internal LPT cable	Length 30CM, 2.54 pitch pin	
Notes: SSD electronic disk, memory, adapter power supply, wireless WIFI module, chassis and other accessories can consult the salesman		

